

Supplementary File

Table S1. Items and Scoring Criteria for ADHD and BD-I.

Item No	Code	ADHD: Predominantly Hyperactive-Impulsive Presentation
46	ADHDHI1	I tap my hands a lot or squirm in my seat.
79	ADHDHI2	I have trouble sitting still or staying in my seat.
30	ADHDHI3	I run around or climb when I am expected to be still.
74	ADHDHI4	I have trouble doing things quietly.
72	ADHDHI5	I am a person who is always "on-the-go" and doing something.
40	ADHDHI6	People say that I talk too much.
13	ADHDHI7	I blurt out answers to questions before I hear the whole question.
87	ADHDHI8	I get frustrated when I have to wait my turn to do things.
50	ADHDHI9	I interrupt others when they are talking or when they are involved in activities.
Scoring: ADHDHI1-ADHDHI9 > 5		
Item No	Code	ADHD: Predominantly Inattentive Presentation
57	ADHDI1	I have trouble paying attention.
81	ADHDI2	I make careless mistakes.
104	ADHDI3	I have trouble following instructions.
75	ADHDI4	I start things but do not finish them.
100	ADHDI5	I have trouble getting organised.
3	ADHDI6	I try to avoid doing things that require a lot of concentration (e.g., schoolwork or homework).
42	ADHDI7	I lose things I need for tasks or school.
97	ADHDI8	I am easily distracted by other things going on around me.
6	ADHDI9	I am forgetful.
Scoring: ADHDI1-ADHDI9 > 5		
Item No	Code	Bipolar Disorder-I
29	BPD1	I get an inflated sense of self-esteem or experience a sense of superiority.
112	BPD2	I have periods where I hardly need any sleep (e.g., I feel refreshed after only 3 hours of sleep).
44	BPD3	I get more talkative than usual, or feel a pressure to keep talking.
57	BPD4	Lots and lots of thoughts fly through my head as if it were racing.
52	BPD5	My attention is easily distracted by unimportant or irrelevant things.
82	BPD6	I go through periods when I get too caught up in trying to achieve goals (e.g., socially, at work).
116	BPD7	I involve myself in a lot of activities that have a high potential for painful consequences, physically (e.g., self-harm, sexual indiscretions), or financially (e.g., unrestrained buying sprees, foolish business investments).
111	GAD7	I am irritable.
Scoring: BPD1-BPD7 + GAD7 ≥ 4		

ADHD: Combined Presentation: Items included all the ADHD = IA and ADHD-HI items. Scoring: ADHDHI1-ADHDHI9 ≥ 5 and ADHDI1-ADHDI9 ≥ 5.

Table S2. Contingency Table of Frequencies of Individuals with Generalized Anxiety Disorder According to ADHD Presentation and BD-I.

ADHD pres.	BD-I		Generalized Anxiety Disorder		Total
			0	1	
none	0	Count	1586	536	2122
	1	Count	28	34	62
	Total	Count	1614	570	2184
ADHD-IA	0	Count	117	401	518
	1	Count	13	32	45
	Total	Count	130	433	563
ADHD-HI	0	Count	25	47	72
	1	Count	6	22	28
	Total	Count	31	69	100
ADHD-C	0	Count	40	268	308
	1	Count	27	44	71
	Total	Count	67	312	379
Total	0	Count	1768	1252	3020
	1	Count	74	132	206
	Total	Count	1842	1384	3226

Note. For the BD-I column, 0 = not present, 1 = present.

Table S3. Contingency Table of Frequencies of Individuals with Panic Disorder According to ADHD Presentation and BD-I.

ADHD pres.	BD-I		Panic Disorder		Total
			0	1	
none	0	Count	1488	634	2122
	1	Count	33	29	62
	Total	Count	1521	663	2184
ADHD-IA	0	Count	203	315	518
	1	Count	24	21	45
	Total	Count	227	336	563
ADHD-HI	0	Count	28	44	72
	1	Count	12	16	28
	Total	Count	40	60	100
ADHD-C	0	Count	95	213	308
	1	Count	52	19	71
	Total	Count	147	232	379
Total	0	Count	1814	1206	3020
	1	Count	121	85	206
	Total	Count	1935	1291	3226

Note. For the BD-I column, 0 = not present, 1 = present.

Table S4. Contingency Table of Frequencies of Individuals with Specific Phobia According to ADHD Presentation and BD-I.

ADHD pres.	BD-I		Specific Phobia		Total
			0	1	
none	0	Count	1922	200	2122
	1	Count	53	9	62
	Total	Count	1975	209	2184
ADHD-IA	0	Count	334	184	518
	1	Count	34	11	45
	Total	Count	368	195	563
ADHD-HI	0	Count	49	23	72
	1	Count	23	5	28
	Total	Count	72	28	100
ADHD-C	0	Count	188	120	308
	1	Count	63	8	71
	Total	Count	251	128	379
Total	0	Count	2493	527	3020
	1	Count	173	33	206
	Total	Count	2666	560	3226

Note. For the BD-I column, 0 = not present, 1 = present.

Table S5. Contingency Table of Frequencies of Individuals with Obsessive-Compulsive Disorder According to ADHD Presentation and BD-I.

ADHD pres.	BD-I		Obsessive-Compulsive Disorder		Total
			0	1	
none	0	Count	2047	75	2122
	1	Count	56	6	62
	Total	Count	2103	81	2184
ADHD-IA	0	Count	421	97	518
	1	Count	41	4	45
	Total	Count	462	101	563
ADHD-HI	0	Count	58	14	72
	1	Count	24	4	28
	Total	Count	82	18	100
ADHD-C	0	Count	207	101	308
	1	Count	67	4	71
	Total	Count	274	105	379
Total	0	Count	2733	287	3020
	1	Count	188	18	206
	Total	Count	2921	305	3226

Note. For the BD-I column, 0 = not present, 1 = present.

Table S6. Contingency Table of Frequencies of Individuals with Posttraumatic Stress Disorder According to ADHD Presentation and BD-I.

ADHD pres.	BD-I		Posttraumatic Stress Disorder		Total
			0	1	
none	0	Count	1912	210	2122
	1	Count	51	11	62
	Total	Count	1963	221	2184
ADHD-IA	0	Count	326	192	518
	1	Count	37	8	45
	Total	Count	363	200	563
ADHD-HI	0	Count	43	29	72
	1	Count	24	4	28
	Total	Count	67	33	100
ADHD-C	0	Count	143	165	308
	1	Count	65	6	71
	Total	Count	208	171	379
Total	0	Count	2424	596	3020
	1	Count	177	29	206
	Total	Count	2601	625	3226

Note. For the BD-I column, 0 = not present, 1 = present.